The Panerwork Reduction Act of 1995	no persons	U.S. P	atent and Ti	Approved rademark	PTO/SB/21 (09-08) If for use through 03/31/2007. OMB 0651-9031 It Office; U.S. DEPARTMENT OF COMMERCE unless it displays a valid OMB control number.
TRANSMITTAL FORM (to be used for all correspondence after initial Total Number of Pages in This Submission	Application Number Filing Date First Named Inventor Art Unit Examiner Name Attorney Docket Number	10/749,874 December 31, 2003 Rene Purnadi 2666 Inder P. Mehra 944-001.124			
Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement		Drawing(s) icensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence A Ferminal Disclaimer Request for Refund CD, Number of CD(s) Landscape Table on CD	n ddress		After Allowance Communication to TC Appeal Communication to Board of Appeals and Interferences Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please Identify below):
Certified Copy of Priority Document(s) Reply to Missing Parts/ Incomplete Application Reply to Missing Parts under 37 CFR 1.52 or 1.53	Remark	F APPLICANT, ATTO	RNEY, O	R AG	ENT

Signature Printed name James A. Retter Date Reg. No. January 9, 2007 41,266

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below: Signature Date Sue Muro January 9, 2007 Typed or printed name

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/17 (07-06) Approved for use through 01/31/2007. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number

Face pursuant to t	Effective on 1.		2005 (H D 4040)		Comple	ete if Known					
· '	he Consolidated Ap			Application Nu	mber 10/749	,874					
FEE TRANSMITTAL For FY 2006 Applicant claims small entity status. See 37 CFR 1.27				Filing Date	Decem	December 31, 2003					
				First Named Inventor Ren		ne Purnadi					
				Examiner Nam	ne Inder P	Inder P. Mehra					
		1	, O(IX 1.21	Art Unit	2666	2666					
TOTAL AMOUN	T OF PAYMENT	(\$)		Attorney Docke	et No. 944-00	1.124					
METHOD OF PAYMENT (check all that apply)											
Check Credit Card Money Order None Other (please identify):											
Deposit Account Deposit Account Number: 23-0442 Deposit Account Name: Ware Fressola											
			, the Director is her								
I —	arge fee(s) indica						t for the filing fee				
			nderpayments of fe	-(-)	lit any overpayme	-	-				
under 37 CFR 1.16 and 1.17 WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card											
information and authorization on PTO-2038. FEE CALCULATION											
1. BASIC FILIN		ND FYAMI	NATION FEES		··· =						
I. DASIC FILIP	FIL	ING FEES	SEAR	CH FEES	EXAMINATION	ON FEES					
Application 1	Гуре <u>Fee</u>	<u>Small E</u> (\$) Fee (\$	ntity	Small Entity	_ <u>Sm</u> :	all Entity ee (\$)	Fees Paid (\$)				
Utility	300		500	250		ee (5) 100					
Design	200		100	50	130	65					
Plant	200		300	150	160	80					
Reissue	300		500	250		80 300					
Provisional	200		0	230	000	0					
2. EXCESS CI		100	U	U	U	-	nall Entity				
Fee Description	<u>on</u>					Fee (\$)	Fee (\$)				
	over 20 (includ					50 200	25				
	endent claim over	ng Keissues)			200 360	100 180					
Total Claims		Claims	Fee (\$) Fee	Paid (\$)		Multiple Depe					
- 2	20 or HP =	x _				Fee (\$)	Fee Paid (\$)				
HP = highest nui	mber of total claims	paid for, if grea		Paid (\$)	-	-					
	or HP =	<u>Ciaims</u> x _	<u>Fee (\$) </u>	<u>r aiu (⊉)</u>	•	_	_				
HP = highest num	HP = highest number of independent claims paid for, if greater than 3.										
3. APPLICATION SIZE FEE If the specification and drawings exceed 100 sheets of paper (excluding electronically filed sequence or computer											
listings under 37 CFR 1.52(e)), the application size fee due is \$250 (\$125 for small entity) for each additional 50											
sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).											
Total Snee	Total Sheets Extra Sheets Number of each additional 50 or fraction thereof Fee (\$) Fee Paid (\$) - 100 = / 50 = (round up to a whole number) x =										
	4. OTHER FEE(S) Non-English Specification, \$130 fee (no small entity discount) Fees Paid (\$)										
Other (e.g., late filing surcharge): Appeal Brief 500.00											
SUBMITTED BY		0,1	Т	Registration No.		Talank					
Signature	XX	Mes		(Attorney/Agent)	41,266	Telephone 203-261-1234					
Name (Print/Type)	James A. Retter					Date Januar	y 9, 2007				

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Att. Docket 944-1.124 Serial No. 10/749,874

PACENT THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

First named inventor: Rene Purnadi

Serial No.: 10/749,874 Filed: Dec. 31, 2003

JAN 1 2 2007

Title: METHOD AND EQUIPMENT FOR LOSSLESS PACKET DELIVERY TO

A MOBILE TERMINAL DURING HANDOVER

Group Art Unit: 2666

Examiner: Mehra, Inder P.

MAIL STOP APPEAL BRIEFS--PATENTS COMMISSIONER FOR PATENTS P.O. BOX 1450 ALEXANDRIA, VA 22313-1450

01/12/2007 CNEGA1 00000034 10749874

500.00 OP

BRIEF FOR APPELLANTS: 1402

Sir:

1

This is a brief for an appeal from an Office Action mailed 10 August 2006, made final, to which applicant filed a request for reconsideration and in response received an Advisory Action, mailed 13 Nov. 2006, maintaining the rejections.

Following a phone call to the Examiner on 8 Nov. 2006 in which the Examiner indicated an Advisory Action would be mailed (and was mailed on 13 Nov. 2006), applicant mailed a Notice of Appeal on 10 Nov. 2006. This brief follows that timely filed Notice of Appeal.

For all of the reasons given below, it is the belief of the undersigned that the claims of the application do distinguish the invention from the art relied on by the Examiner. Nevertheless, the undersigned is always willing to discuss possible amendments to any claims to clarify or resolve any issues related to claim interpretation that may remain after the Examiner has reviewed applicant's brief. The Examiner is strongly encouraged to call the undersigned to discuss making any such amendments.

Table of Contents

I. THE REAL PARTY IN INTEREST	3
II. RELATED APPEALS AND INTERFERENCES	
III. STATUS OF CLAIMS	3
IV. STATUS OF AMENDMENTS	3
V. SUMMARY OF CLAIMED SUBJECT MATTER	3
VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL	7
VII. ARGUMENT	7
VIII. CLAIMS APPENDIX	
IX. EVIDENCE APPENDIX	14
X. RELATED PROCEDINGS APPENDIX	14

I. THE REAL PARTY IN INTEREST

The real party in interest is Nokia Corporation, having a principal place of business at Keilalahdentie 4, FIN-02150 Espoo, Finland.

II. RELATED APPEALS AND INTERFERENCES

There are no related appeals or interferences.

III. STATUS OF CLAIMS

Claims 1-26 are pending. Claims 21-26 and 28 are allowed, claims 1-3, 18-20 and 27 are rejected, and claims 4-17 are objected to. Of the claims rejected, only claims 1 and 27 are independent. All of the dependent rejected claims depend from claim 1.

IV. STATUS OF AMENDMENTS

No amendments have been filed since the mailing of the final Office action.

V. SUMMARY OF CLAIMED SUBJECT MATTER

Applicant provides herewith a concise explanation of the subject matter defined in each of the independent claims involved in the appeal, referring to the specification by page and line number, and to the drawings, by reference characters.

Claims 1 and 27 are to a method and apparatus, respectively (and as explained below), enabling wireless transmission of packets according to a layered protocol for packet transmission, the layered protocol including a radio layer as a lower layer and including an upper layer that provides packets to the radio layer for wireless transmission. The invention could be used e.g. by a radio access network transmitting packets to a user equipment wireless communication terminal.

As explained in the application at page 7, lines 14-24, the invention introduces use of a ("loose") "local acknowledgement" (local ACK) mechanism by which the upper layer is able to monitor transmission (over the air) of packets via the radio layer (which transmits packets as one or more radio frames via the physical layer), which also maintains a buffer. As explained beginning at page 1, line 5, to page 3, line 2, the invention is motivated by the belief that because of higher data rates envisioned in the future and because radio frames are radio technology specific in a multiple radio technology environment, it would be beneficial to have the send/ transmit buffer maintained not in the radio layer, but in an upper protocol layer, where the data units being transmitted can (and typically do) exist as radio technology independent packets.

The invention though, does not simply move the send/ transmit buffer to an upper layer, but instead allows for the continued use of a transmit buffer by the radio layer and also allows for use of a transmit buffer by an upper layer, and provides for a mechanism believed not unduly burdensome by which the upper layer can maintain its transmit buffer. The mechanism provided by the invention is not unduly burdensome because instead of a "tight" local acknowledgement scheme, in which the upper layer would buffer a packet and remove it only when it received a local ACK (an ACK from the radio layer to the upper layer) thus ensuring lossless transmission, the invention provides what is called "loose" local acknowledgement (which does not quarantee lossless transmission), in which a local ACK is provided by the radio layer to the upper layer only under some circumstances, i.e. only on the occurrence of one or another predetermined event, and the upper layer uses a process called here "slow release" to keep its buffer from overflowing between these predetermined events. In slow release, when its buffer is full, the upper layer removes the oldest packet from its buffer when a new packet arrives, i.e. the removal is prompted by the

arrival of a new packet and the buffer being full, and is not triggered by having received a local ACK. A local ACK, as explained at page 9, lines 10-19, can be provided along with a sequence number, and in response to such a local ACK and sequence number, the upper layer would remove the packet having the sequence number as well as all older packets; thus one local ACK could free up all or a large part of the transmit buffer of the upper layer. As explained at page 9, lines 3-6, the predetermined events that would trigger the radio layer sending a local ACK to the upper layer could be a handover, or a degrading of the radio link condition (as reflected e.g. through the error rate or the retransmission rate). Thus, these events need not have anything to do per se with the radio layer having received an ACK for a packet from a peer radio layer in the communication terminal to which the packet was transmitted, but are merely events predetermined as appropriate for triggering sending a local acknowledgement, the idea here being that it is not efficient for the radio layer to send a local ACK to the upper layer each and every time the radio layer receives an ACK from its peer.

The application explains at page 8, line 3, by reference to Figure 1, that a radio access network 16 implementing the invention would include an access point 12 (such as a Node B in 3G, an Access Point in Wireless LAN, or a base station in 2G) having a radio link to a mobile terminal 11, and also a controller 14 (such as a radio network controller in 3G, an Access Point in Wireless LAN, or a base station controller in 2G). The radio layer exists in the access point 12, and depending on the cellular network, the upper layer could reside in the controller 14, although it is possible that it could instead reside in the access point 12. The acknowledgment is referred to as "local ACK" because it is ACK signalling between two protocol layers that can exist in the same device—the access point 12, depending on the release of the radio access network—

or that can exist in an access point 12 and its (serving) controller 14.

Claim 1 recites a method comprising: an upper layer of the communication protocol (see Figure 1, controller block 14 indicated as hosting the upper layer) performing a slow release (see Figure 2, block 23) in which the upper layer removes from a buffer maintained by the upper layer the oldest packet in the buffer when the buffer is full and a new packet arrives, and does so independently of whether the oldest packet has been acknowledged by a radio layer (the radio layer is shown in Figure 1 as included in block 12, which indicates an access point (AP)) that receives data as packets from the upper layer and prepares the packets for wireless transmission (see the application at page 9, lines 16-17, and see the description of "slow release" at page 8, lines 21-27); and the radio layer performing a local acknowledgement in which the radio layer sends a local acknowledgement to the upper layer on the occurrence of a predetermined event (see Figure 2, block 24, and the application at page 8, lines 14-17, and page 9, lines 1-9) the local acknowledgement indicating to the upper layer that the radio layer has received from a peer radio layer an acknowledgement that a packet has been successfully transmitted (see page 8, lines 21-24, and see page 9, lines 9-12).

The "slow release" is described in the application as being performed in a "normal mode" of buffer management by the upper layer, and the sending of a (first) local ACK triggers what in the application is called "special mode," in which the radio layer in effect causes the upper layer to remove packets from its buffer, starting with the packet having a sequence number provided with the local ACK, and also all older packets.

Claim 27 is to an apparatus, comprising: an upper layer of a communication protocol for wireless communication of packets (see Figure 1, controller block 14 indicated as hosting the upper layer), configured to perform a <u>slow release</u> (see Figure 2, block

23) in which the upper layer removes from a buffer maintained by the upper layer the oldest packet in the buffer when the buffer is full and a new packet arrives, and does so independently of whether the oldest packet has been acknowledged by a radio layer (the radio layer is shown in Figure 1 as included in block 12, which indicates an access point (AP)) that receives data as packets from the upper layer and prepares the packets for wireless transmission; and the radio layer (Figure 1, block 12), configured to perform a local acknowledgement in which the radio layer sends a local acknowledgement to the upper layer on the occurrence of a predetermined event (see Figure 2, block 24, and the application at page 8, lines 14-17, and page 9, lines 1-9), the local acknowledgement indicating to the upper layer that the radio layer has received from a peer radio layer an acknowledgement that a packet has been successfully transmitted (see page 8, lines 21-24, and see page 9, lines 9-12).

Claims 1 and 27 thus recited corresponding limitations.

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

The following grounds of rejection are to be reviewed:

the rejection of claims 1 and 27 under 35 USC §103 as being unpatentable over U.S. Pat. No. 6,816,471 to Ludwig et al. in view of U.S. Pat. No. 6,490,251 to Yin et al.

VII. ARGUMENT

Both claims 1 and 27 require an upper layer performing <u>slow</u> release (i.e. release independently of having received a local acknowledgement), and a radio layer performing <u>local</u> acknowledgement (i.e. indicating to the upper layer, on the occurrence of a predetermined event, that an acknowledgement has been received from a peer radio layer in the receiving wireless terminal).

In the final Office action, the Examiner first asserts that Ludwig discloses the <u>local acknowledgment</u> at col. 8, 11. 8-32, of Ludwig, because "The reference discloses link reset corresponds to predetermined event and providing information to L3 layer corresponds to claimed step of sending local acknowledgement." The Examiner then concedes that Ludwig fails to disclose a step of <u>slow release</u>, but that Yin discloses such a step, at col. 8, 11. 14-20, where, the Examiner asserts, "Yin discloses an upper layer removing from the buffer maintained by the upper layer the oldest packet in the buffer when the buffer is full and in IP the oldest packet gets dropped first independently of whether the oldest packet has been acknowledged or not."

Applicant respectfully submits that first, Ludwig in fact fails to disclose the local acknowledgement of claims 1 and 27.

Next, since the Examiner relies on Ludwig for a teaching of local acknowledgement and relies on Ludwig in combination with Yin for slow release, the combination cannot teach slow release, since one cannot have slow release without local acknowledgement, and Ludwig does not teach local acknowledgement.

So now first in respect to <u>local acknowledgement</u>, applicant respectfully insists that Ludwig discloses at the cited location (col. 8, 11. 8-32) only that the L2 layer must always keep track of which L3 data units are included in which L2 data units, and that there is no teaching by Ludwig of the L2 layer (asserted by the Examiner to correspond to the recited radio layer) sending a local acknowledgement to the upper layer on the occurrence of a predetermined event, whether the event is a 'reset conditions without a handover' or any other event. Ludwig at col. 8, lines 8-32, reads:

Now an example will be described, in which a link reset occurs, i.e. the resetting of the data unit numbering, without a handover. In other words, the sending and receiving peers remain the same, but the numbering of the I-mode data units is reset, e.g. due to a given error condition. In this case, the sending peer will simply renumber the L2_ARQ

data units in its send buffer in such a way that the first L2_ARQ data unit of the new sequence is the first L2_ARQ data unit associated with the last L3 data unit that was not completely acknowledged. In other words, when considering the example shown in FIG. 5, if one assumes that L2#1 to L2#3 have been acknowledged, which means that L3#1 has been acknowledged, the new sequence will begin with L2#3 as its first data unit, because L3#2 was not fully acknowledged prior to the reset. In this way there is no possibility of data loss in the course of the reset.

Applicant respectfully insists there is simply no disclosure here of any communication from the L2 layer to the L3 layer. (The statement in Ludwig at col. 8, line 24, that "L3#2 was not fully acknowledged" means that all of the L2 data units conveying it were not all acknowledged to the L2 layer by the peer L2 layer, as is apparent from col. 7, 11. 23-30.) The recited local acknowledgement would require that the (transmitting) L2 layer actually communicate to the L3 layer an acknowledgement of successful transmission of a packet by the (transmitting) L2 layer to the peer (receiving) L2 layer (based on the peer L2 layer ACKs to the transmitting L2 layer).

In response to the final Office action, applicant requested that the Examiner more specifically point out where Ludwig teaches the local acknowledgement recited in claims 1 and 27. In response, in a phone call with the Examiner on 8 Nov. 2006, for a disclosure of "local acknowledgement," the Examiner referred applicant's attorney to col. 7, lines 59-64, which reads:

In the second line, it can be seen that the acknowledgment of L2#1 to L2#3 means that L3#1 has been completely acknowledged, such that L2#1 and L2#2 may be deleted, but due to the fact that L2#4 has not been acknowledged, L2#3 may not be deleted as L2#3 also is associated with L3#2.

The notation L2#1 at col. 7, lines 59-64, of Ludwig, means a number 1 segment of a layer 2 PDU. See col. 7, line 28,

explaining that L2#1-L2#5 indicates 5 L2_ARQ data units into which three L3 data units are segmented.

Applicant respectfully submits that (like the col. 8 text relied on in the final Office action) the col. 7 text too fails to teach the recited local acknowledgment. The col. 7 text explains only that when the <u>non-local</u> acknowledgement of L2#1 to L2#3 is made (i.e. when the receiving L2 layer acknowledges L2#1 to L2#3 by sending an ACK to the sending L2 layer), the L2 layer at the sending end knows the L3#1 has been received in total. But Ludwig does not teach that L2 at the sending end then tells L3 at the sending end that L3#1 has been acknowledged. Ludwig says that "the acknowledgment of L2#1 to L2#3 <u>means</u> that L3#1 has been completely acknowledged." [Emphasis added.] There is no teaching of L2 then so informing L3, as would be required for there to be a local acknowledgement as in claims 1 and 27.

The Examiner is less specific in the Advisory action as to where local acknowledgement is to be found, asserting there only that:

... acknowledgement by L2 (lower radio layer) to L2 (upper layer), refer to fig. 4-5, is local acknowledgement.

Figures 4 and 5 are described at col. 6, beginning line 39, to col. 8, ending line 7, which encompasses the text believed specifically relied on (col. 7, lines 59-64) per the telephone interview of 8 November 2006.

For these reasons, Ludwig cannot fairly be said to teach the local acknowledgement recited in claims 1 and 27, and thus the combination of Ludwig and Yin cannot be said to teach the slow release recited in claims 1 and 27, since the Examiner relies on

There is an obvious mistake at col. 7, line 27, where it is said that "An L2_ARQ protocol entity has segmented three L3 data units, denoted L1#-L3# into five L2_ARQ data units, denoted L2#1-L2#5." This clearly should say: "An L2_ARQ protocol entity has segmented three L3 data units, denoted L3#1-L3#3 into five L2_ARQ data units, denoted L2#1-L2#5."

Att. Docket 944-1.124 Serial No. 10/749,874

Ludwig as teaching the slow release, when in fact Ludwig provides no such disclosure.

But further and now specifically in respect to the <u>slow</u> <u>release</u>, applicant sees that Yin discloses some entity dropping a packet from a buffer because the queue length size exceeds the maximum queue size (MQS), but does not see that the entity doing so is an upper layer relative to a lower layer that receives data as packets from the upper layer and prepares the packets for wireless transmission, as required by claims 1 and 27. Applicant therefore respectfully submits that Yin cannot be relied on, as the Examiner has, for teaching the slow release recited in claims 1 and 27, irrespective of whether Ludwig can be relied on for teaching local acknowledgement.

For the reasons given, then, applicant respectfully submits that the rejections of claims 1 and 27 under 35 USC §103 are error.

Jan. 9, 2007

Date

WARE, FRESSOLA, VAN DER SLUYS & ADOLPHSON LLP 755 Main Street, P.O. Box 224 Monroe, CT 06468-0224 Respectfully submitted,

James A. Retter Registration No. 41,266

tel: (203) 261-1234 Cust. No.: 004955

VIII. CLAIMS APPENDIX

The following are the claims involved in the appeal.

(Previously presented) A method, comprising:

an upper layer of a communication protocol for wireless communication of packets performing a slow release in which the upper layer removes from a buffer maintained by the upper layer the oldest packet in the buffer when the buffer is full and a new packet arrives, and does so independently of whether the oldest packet has been acknowledged by a radio layer that receives data as packets from the upper layer and prepares the packets for wireless transmission; and

the radio layer performing a local acknowledgement in which the radio layer sends a local acknowledgement to the upper layer on the occurrence of a predetermined event, the local acknowledgement indicating to the upper layer that the radio layer has received from a peer radio layer an acknowledgement that a packet has been successfully transmitted.

27. (Previously presented) An apparatus, comprising:

an upper layer of a communication protocol for wireless communication of packets, configured to perform a slow release in which the upper layer removes from a buffer maintained by the upper layer the oldest packet in the buffer when the buffer is full and a new packet arrives, and does so independently of whether the oldest packet has been acknowledged by a radio layer that receives data as packets from the upper layer and prepares the packets for wireless transmission; and

the radio layer, configured to perform a local acknowledgement in which the radio layer sends a local acknowledgement to the upper layer on the occurrence of a predetermined event, the local acknowledgement indicating to the upper layer that the radio layer has received from a peer radio

Att. Docket 944-1.124 Serial No. 10/749,874

layer an acknowledgement that a packet has been successfully transmitted.

IX. EVIDENCE APPENDIX

No evidence has been submitted under Rules 1.130, 1.131, or 1.132 and relied on by appellant in the appeal, nor is there any other evidence entered by the examiner and relied up on by appellant in the appeal.

X. RELATED PROCEDINGS APPENDIX

There are no and have been no related proceedings, and so there are no corresponding decisions rendered by a court or the Board in any related proceeding.